

Sureguard

Ultra Quiet Solar Snake Repellent



Model #356

Don't Wait to See a Snake[®]

Contents

How Electronic Snake Repellents Work....	1
Snake Facts	1
Common Uses	1
Repellent Models Available	2
Installation Guide.....	3
Avoid Installation Mistakes	3
Maintenance	4
Troubleshooting Guide.....	4
Proper Use.....	5
Disclaimer.....	8
Snake Safety.....	8
First Aid	9
FAQ	12

Sureguard Pty Ltd

ABN: 20163915964

114 Keen St, Lismore NSW 2480

Phone: 1800-800-044

All Rights Reserved © 2015-2023 Sureguard Pty Ltd

How Electronic Snake Repellents Work

Sureguard Snake Repellents have been developed to deter many kinds of snakes. They emit a pulsing vibration into the surrounding soil. This vibration can signal potential danger. Most snakes choose to avoid danger.

Snake Facts

These are known scientific facts (more details at: www.sureguard.com.au/356).

- Scientists have evidence that snakes can detect the direction of vibrations.
- Vibrations as small as one billionth of a meter can be sensed by some snakes.
- Vibration can signal potential danger.
- Most snakes choose to avoid danger.

Common Uses

Install Sureguard Snake Repellents around:

- The whole perimeter of your property (recommended).
- Your house and garden.
- Children's play areas.
- Vegetable gardens.
- Aviaries and poultry housing.
- Kennels.
- Sheds.
- Horse and livestock paddocks.

Repellent Models Available

Sureguard manufactures three types of snake repellent:

Ultra Quiet Solar Version - Model 356

- Ultra Quiet: Reduced audible airborne noise by 17dB compared to previous models, while maintaining enhanced vibration power in the soil.
- Long-Life Super-Capacitor. Backup power for nights & cloudy weather. No batteries required!
- Multi-Pulse Vibration Cycle confuses snakes & reduces potential desensitisation.
- Improved Vibration! 150% more powerful than many other brands & 55% more powerful than our previous premium model.
- Case Ingress Protection Rating of IP65 (widely accepted as “waterproof”).
- ON/OFF Switch.

Details here: www.sureguard.com.au/356

Premium Solar Version - Model 358

- Long-Life Super-Capacitor. Backup power for nights & cloudy weather. No batteries required!
- Multi-Pulse Vibration Cycle confuses snakes & reduces potential desensitisation.
- Improved Vibration! 150% more powerful than many other brands & 55% more powerful than our previous premium model.
- Welded case with an Ingress Protection Rating of IP65 (widely accepted as “waterproof”).

- ON/OFF Switch.

Details here: www.sureguard.com.au/358

Battery Version - Model 354

- Operates in both in sun and shade.
- Economical to purchase and low running costs.
- Up to 12 Months battery life.

Details here: www.sureguard.com.au/354

Installation Guide

Carefully follow this installation guide together with the illustrations on pages 6 & 7. Develop a plan. Think about the most suitable places to install the repellents before commencing.

Avoid Installation Mistakes

- ***Good soil contact with the vibration screw-post is vital.*** Place the repellent into damp soil. Screw fully into the soil until up to the stopper. The repellent will have about 7cm exposed above ground.
- ***NEVER force or hammer the device into the ground.*** This will void your warranty. Prepare the hole as described above.
- ***Avoid, if possible, installation in rocky ground.*** The vibration does not travel well through rocks or gravel.
- ***Take care when installing the repellents next to hard surfaces.*** The vibration will not pass through or beyond: concrete, pavers, bitumen, gravel, rocks, large tree roots, etc. You'll need to install more repellents on the

other side to ensure complete protection.

- ***Do not leave areas unprotected.*** (See page 7 for info-graphic). For example, areas are not protected due to shadowing of the vibrations caused by buildings, walls, sheds, fence posts, etc or anything heavy sitting on the ground or buried under the surface.
- ***Install repellents in areas that maximise the snake's contact with the soil / ground.*** Avoid installing repellents in thick spongy grass surfaces and thickly mulched areas.

Maintenance

Check your repellents to ensure they are working correctly. Place your fingers on the repellent and wait to feel the vibration.

Troubleshooting Guide

Why is there no longer a vibration?

- Check to make sure the switch is ON.
- Try switching OFF and ON a few times.
- Clean the solar panel, place in full sun and check again the next afternoon.
- Do not install in areas with shadows or dappled sunlight. For these locations, install our Battery Model (See page 3 for more information).
- Call for assistance: 1800-800-044.

Is it normal to hear the vibration?

- Yes, there is a slight sound that varies with soil type.

- If you have concerns, call for assistance.

Note: When the device comes to the end of its life, the vibration may sound louder and should be replaced.

Proper Use


Sureguard Snake Repellents must be installed as part of a holistic approach to snake safety. For your protection, here is a list of precautions to follow:

Rodent Control


Most snakes eat rodents and birds. Reducing rodent numbers will reduce the incentive for snakes to visit your property. Therefore, remove potential food sources that may attract rodents, e.g. fallen fruit, compost scraps, uneaten pet food, excess bird seed from aviaries, etc. Visit your local hardware store if you need a humane solution to deal with excessive rodent numbers.

Garden Maintenance

- Snakes may prefer to move through the protective cover of long grass. Regularly cut your grass!
- Remove common snake hiding places, e.g. woodpiles, rock piles, stored building materials, corrugated iron, etc.
- When working in the garden, protect yourself with appropriate clothing, footwear and protective gear. “Snake Gaiters” can protect your legs from snake bites. Never put your hands where you can’t see them.



Place Repellents no more than 25m apart. In sandy or rocky soil reduce to 10m.



Poor soil contact will cause a weak vibration and noisy operation.




Avoid air gaps!

Shadow effect.



Vibration doesn't pass through buildings. Add a Repellent to cover the other side.



Vibration doesn't pass through hard substances like rocks & concrete. Avoid limiting your area coverage.

Do not install in shadows. If unavoidable, install our battery model.



Disclaimer

Snakes are wild animals; they can be unpredictable. While this product can be an effective deterrent that reduces the risk of a snake encounter, you should use it as part of a holistic approach.

Snake Safety

Snake Encounter

If you encounter a snake, you may be startled. Don't panic! Try to remain calm.

- Immediately halt. Remain still because snakes react to movement.
- DO NOT make any sudden movements.
- If the snake is more than a few metres from you, move very slowly away while watching carefully to see if the snake reacts. If the snake begins to look agitated, remain still until it moves away from you.
- If the snake is close, then remain still until the snake moves away from you.

Beware: Running may induce the snake to follow. Snakes can travel as fast as 12km/hr!

[References: Queensland Department of Environment & Heritage Protection]

Snake Bites

In Australia, there are about 3000 snake bites per year. Many snakebite cases occur when people try to handle, catch or kill a snake. Snakes can be active any time of day, even later in the evening, so stay vigilant.

- DO NOT attempt to catch or kill snakes.
- DO NOT provoke or corner a snake.

First Aid

[Reference: Queensland Department of Health]

Snakebites can be life threatening. Immediately seek medical treatment. The bite site may be painless. Symptoms may include:

- **Within 1hr:** Headache (a vital symptom), irritability, sensitivity to light, nausea, vomiting, diarrhoea, confusion; coagulation abnormalities; occasionally sudden hypotension with loss of consciousness.
- **1-3 hrs:** Cranial nerve paralysis (ptosis, diplopia, dysphagia etc.), abdominal pain, haemoglobinuria, hypertension, tachycardia, haemorrhage.
- **Beyond 3hrs:** Limb and respiratory muscle paralysis leading to respiratory failure, peripheral circulatory failure with pallor and cyanosis, myoglobinuria, eventually death.

“Pressure-Immobilization First Aid” is recommended by Queensland Health. Its purpose is to slow venom movement from the bite site into the circulation, “buying time” to reach medical care. Research has shown that very little venom reaches the blood stream if firm pressure is applied over the bitten area and the limb is immobilized. Keep some Compression Bandages in your First Aid kit. One brand called AeroForm includes an indicator to get the optimum pressure. Advise all family members how to use the bandages correctly.

Pressure Immobilization First Aid

- Bandages should be comfortable for hours.
- Stay calm. Remain still. Seek assistance. In Australia, Call 000 for an ambulance.
- DO NOT wash or touch the wound. Traces of venom may help identify the snake.
- Only the doctor should remove the bandage.

Bites to the lower limb

- Apply a broad compression bandage over the bite site as soon as possible. Crepe bandages are ideal, but any flexible material may be used. Eg. Clothing, towels, pantyhose, etc., may be torn into strips.
- DO NOT take off clothing as the movement can push venom into the bloodstream. Keep still.
- Bandage upwards from the lower portion of the bitten limb. Bandage as tightly as you would apply to a sprained ankle. Bandage as high as possible on the limb.
- Apply a splint to the leg. Any rigid object may be used. Bind it firmly to as much of the leg as possible.

Bites to the hand or forearm


- Bandage as much of the arm as possible, starting at the fingers.
- Use a splint to the elbow.
- Use a sling to immobilize the arm.

Bites to the head or neck

- Keep still until the ambulance arrives.

Bites to the trunk

- Restrict chest movement and keep still until the ambulance arrives.



References: Queensland Department of Health. Images © Treatment of bites by adders and exotic venomous snakes. David A Warrell. BMJ 2005;331:1244

FAQ

How many repellents do I need?

Because every home and garden is different, your setup and number of repellents will be unique to your property. Take time to understand the Installation Guide on page 3. Sketch out a plan of your property and identify the best areas to place the repellents so the repelling vibrations overlap.

Do Sureguard Snake Repellents make a noise?

All brands of snake repellent emit both vibration and some audible sound. Sureguard's Ultra Quiet Solar Snake Repellent is the best available.

I saw a snake moving off in the direction of a repellent. Why?

To explain this behaviour, you need to understand the psychology of how the product works and a concept in psychology called the “fight or flight response” (see Wikipedia). When a snake is casually moving through the environment and starts to detect the vibration, it chooses to avoid that area because the snake does not know if it is dangerous or not. However, if the snake is casually moving toward the protected area and is startled by an animal or human, it may panic and rush through the protected zone. This is a natural “flight response”.

Do Sureguard Snake Repellents repel lizards, e.g. Blue Tongues, etc.?

No. This product is designed for snakes; there is no evidence of lizards being affected.

Do Sureguard Snake Repellents repel frogs, toads, birds, pets, etc.?

No, they are only designed for snakes.

Can snakes get used to the vibration so it becomes less effective?

Repeated exposure to the vibration may reduce its deterrent effect, a phenomenon known as desensitization in psychology. However, in practice, this occurrence is rare as snakes typically avoid areas they perceive as dangerous.

To counteract desensitization, Sureguard has developed a Multi-Pulse vibration design, which proves to be highly effective.

However, take care not to inadvertently trap the snake in the protected area. For example, one Sureguard customer had a snake under a house slab. The repellent had been placed at the entrance of the hole. The snake did not come out for weeks, obviously feeling trapped, but eventually overcame its fear and went past the repellent. This is desensitisation.

Correct installation in this situation would be to wait for the snake to exit the hole and then install the repellent to deter it from returning.

Can snakes be caught inside the protective boundary?

It is possible. If you already have snakes living in your garden, consider having them professionally removed before installing the repellents. Another strategy is to install the repellent in a central area, for example, around the house area. Then week by week, move them further out until you have them all positioned around your property boundary.

Do the repellents work on all snakes?

Sureguard Snake Repellents are intended for snakes moving along the ground. A python moving off a tree onto your aviary won't be deterred. Similarly, tree snakes won't be affected. Juvenile snakes may respond poorly. Sureguard does not recommend using repellents against species *Acanthophis antarcticus* (Common Death Adder). Unlike other snakes that tend to move away from human activity, Death Adders hunt by ambush, staying hidden waiting for prey and aren't deterred by vibrations.

(Reference: Wikipedia - *Acanthophis*).

I found a snake sunning itself on some garden steps. Why wasn't it repelled?

Carefully analyse how the snake may have travelled to that point. Remember, the repellents won't affect a snake moving on hard surfaces. For example, Sureguard had a customer call our technical department for assistance. Repellents had been installed around the whole backyard, but a snake later found its way to the back door.

A 2m section of the concrete pathway was unprotected at the property boundary because the repellent was installed on the wrong side of the path creating a hole in the boundary which the snake happened to travel through. The solution was to place the repellent on the other side of the path.

I have a snake in my roof. Can I place the repellent there?

No. Do not hang them on the roof, gutter, or trees or other structures.

Snake Removal

A licence or permit is required in some Australian States to allow handlers to legally catch and release reptiles (usually snakes) from commercial and residential homes and backyards. These Regulations ensure reptile handlers operate under strict conditions to ensure human safety and animal welfare.

Record your preferred local snake removalists here:

Company.....

Phone.....

Company.....

Phone.....

Manufacturer's Warranty

Sureguard provides a Manufacturer's Warranty to the original purchaser or gift recipient to cover defects in materials and workmanship for a period of 12 months.

1.0 User Acceptance

- By purchasing or using this product the purchaser agrees they have read and accept and abide by these Terms and Conditions. Full Terms and Conditions at www.sureguard.com.au/terms
- Sureguard reserves the right to amend these Terms and Conditions at any time.

2.2 Manufacturer's Warranty

- Sureguard's warranty does not cover damage or loss caused by or resulting from abuse, accidents, breakages, loss of parts, unauthorised alterations or repairs, the unauthorised dismantling of the product, using unauthorised accessories, normal wear and tear, normal battery ageing, the natural breakdown of colours and materials over time and use, failure to follow the recommended maintenance, corrosion, lightning strike, abnormal mains voltage fluctuations, battery leakage, incorrect battery replacement, incorrect plug-pack replacement, insects, vermin, failure to use the product for its intended purpose, incorrect or incomplete installation or usage, theft, and causes beyond the control of Sureguard.

- Sureguard reserves the right to determine whether a fault is caused by faulty workmanship or materials.
- Sureguard reserves the right to repair or replace goods. Replacement parts or goods may be refurbished.
- The warranty published here is the only warranty given by Sureguard and no person has authority to change or add to these obligations & liabilities.
- This warranty shall not apply to any loss (whether direct, indirect or consequential) suffered through or resulting from failure or ineffective operation of the product except as provided by law.
- Nothing in this warranty shall be construed as affecting any rights you may have under State or Commonwealth Legislation which gives you rights that cannot be modified or excluded by agreement. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

2.3 Service & Repairs

- Sureguard's Technical Department provides Service & Repairs for products not covered by the Manufacturer's Warranty.
- Sureguard takes reasonable steps to provide spare parts for a reasonable time after purchase.
- Sureguard reserves the right to refuse Claims when products have been modified, dismantled, repaired or altered without Sureguard's authorisation.

2.4 Return Address

Sureguard Pty Ltd, 114 Keen Street (Level 2),
Lismore NSW 2480

2.4.1 Conditions for Returning Goods

- Before returning goods you must contact Sureguard to Lodge a Claim (under Section 2.5).
- After receiving your Return Authorisation you must cease using the goods and promptly return the goods to ensure they arrive at Sureguard's Return Address (as per Section 2.4 above) within 14-days.
- Returned goods must include a copy of the original Tax Invoice or enough information to identify the original purchaser and seller.
- Returned goods must be packaged to avoid damage in transit.
- Return shipping and insurance costs are the purchaser's or sender's responsibility. Sureguard will cover return shipping if required by Australian Consumer Law. Sureguard will refuse COD returns.

- Costs associated with quotations, service or repairs must be paid before the goods are returned. Goods will be disposed of if costs are not paid within 90-days of notification that the goods are ready for shipping.

2.5 Lodge a Claim

- To lodge a Claim simply contact Sureguard's Technical Department on 1800-800-044 or email: claims@sureguard.com.au. Your Claim will be assessed and if the goods are to be returned you will be issued with a Return Authorisation.

3.0 Limitation of Liability

Sureguard will not be liable in any way for any direct, indirect, incidental, special or consequential losses or damages resulting from use of Sureguard's website, products or services or inability to use Sureguard's website, products or services, except as provided by law. Where any State or Commonwealth Legislation prohibits the inclusion of any clause or term set out in these Terms and Conditions, the liability imposed on Sureguard, will be limited, at Sureguard's discretion to any one or more of the following:

- The replacement of the goods or re-supply of equivalent goods.
- The cost of the goods or the cost to re-supply the equivalent goods.
- The repair of the goods.
- The payment of cost to repair the goods.

5.0 Safety – Your Responsibility

- All persons who use the purchased product must read the User Instructions prior to operating the product.
- Do not allow children to operate or play with the product.
- Do not dismantle the product.
- Do not alter the product or add non-standard materials to it unless approved in writing by Sureguard.

6.0 Disclaimer Notices

- No performance guarantee is offered for any control device Sureguard sells. Animals, birds, rodents, snakes, etc., all have natural instincts, behaviours or motivations that may be modified by the use of control devices. However, the degree of improvement and how long this may take or persist cannot be predicted or guaranteed.
- The purchaser must not use the product for anything other than its intended purpose.
- All of Sureguard's published content is subject to change without notice.
- Environmental protection: Please recycle unwanted materials by taking them to your local recycling centre and disposing of them in an approved environmentally safe way.

Sureguard Pty Ltd

ABN: 20163915964

114 Keen St, Lismore NSW 2480

Phone: 1800-800-044

All Rights Reserved © 2015-2023 Sureguard Pty Ltd



Installation Video:
www.sureguard.com.au/video_snake